OPTIFIX FRN300 LIQ HC (#DDF)

Version 2.3

Revision Date: 11/18/2019

SDS Number: CLT207131-V2 Date of last issue: 02/05/2016 Date of first issue: 09/12/2013

SECTION 1. IDENTIFICATION

Identification of the com-

Dharma Trading Co.

pany:

1805 S. McDowell Blvd. Ext.

Petaluma, CA 94954

Telephone No.: +1 707-542 5227

Emergency tel. number: +1 866-928-0789 (NCEC)

Trade name:

OPTIFIX FRN300 LIQ HC

Material number:

152485

Formula:

Mixture

Chemical family:

polymer in aqueous dispersion

Recommended use of the chemical and restrictions on use

Recommended use:

Textile auxiliary

Recommended restrictions on use:

unknown

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin sensitisation : Category 1

Carcinogenicity : Category 2

Specific target organ toxicity

- single exposure

Category 1

GHS label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer. H370 Causes damage to organs.

Precautionary statements : **Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

OPTIFIX FRN300 LIQ HC (#DDF)

Version 2.3

Revision Date: 11/18/2019

SDS Number: CLT207131-V2

Date of last issue: 02/05/2016 Date of first issue: 09/12/2013

and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

P281 Use personal protective equipment as required.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P307 + P311 IF exposed: Call a POISON CENTER or doctor/

physician.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)	
Methanol	67-56-1	2	
Formaldehyde	50-00-0	0.5	

SECTION 4. FIRST AID MEASURES

If inhaled : Move the victim to fresh air.

Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

In case of skin contact : Wash thoroughly with soap and water for 15 minutes. If skin

irritation occurs, seek medical attention.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately if irritation develops and

persists.

If swallowed : If victim is conscious and able to swallow, quickly have victim

drink water or milk to dilute. Do not give sodium bicarbonate, fruit juices, or vinegar. Never give anything by mouth if victim is unconscious or having convulsions. Induce vomiting only if advised by physician or poison control center. Call physician

OPTIFIX FRN300 LIQ HC (#DDF)

Version 2.3

Revision Date: 11/18/2019

SDS Number: CLT207131-V2 Date of last issue: 02/05/2016 Date of first issue: 09/12/2013

or poison control center immediately.

Most important symptoms and effects, both acute and

delayed

The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician : None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media · water

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical Water spray

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire-

fighting

: Thermal decomposition may produce oxides of carbon, nitro-

gen and sulfur.

Further information Exercise caution when fighting any chemical fire. Use NIOSH

approved self-contained breathing apparatus and full protec-

tive clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Contain spill. Small spills may be flushed to the sewer or absorbed on suitable absorbants. Larger spills should be collected as liquid or absorbed. Clean-up may be accomplished by flushing with water if appropriate or remove contaminated

soils. place in appropriate containers.

Methods and materials for containment and cleaning up

Pick up with absorbent material (eg sand, sawdust). Rinse

away rest with water

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.

Conditions for safe storage : Keep container closed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type	Control parame-	Basis
		(Form of	ters / Permissible	

OPTIFIX FRN300 LIQ HC (#DDF)

Version 2.3

Revision Date: 11/18/2019

SDS Number: CLT207131-V2 Date of last issue: 02/05/2016 Date of first issue: 09/12/2013

		exposure)	concentration			
67-56-1	Methanol	TWA	200 ppm	ACGIH		
			, Nausea, Dizziness, a Biological Exposure			
	ces (see BEI® section), Danger of cutaneous absorption					
	·	STEL	250 ppm	ACGIH		
			, Nausea, Dizziness,			
	Substances for which there is a Biological Exposure Index or					
	ces (see BEI®	,	r of cutaneous absor			
		TWA	200 ppm 260 mg/m3	NIOSH REL		
	Further information: Potential for dermal absorption					
		ST	250 ppm 325 mg/m3	NIOSH REL		
	Further informa					
		TWA	200 ppm 260 mg/m3	OSHA Z-1		
	Further information: The value in mg/m3 is approximate.					
		TWA	200 ppm 260 mg/m3	OSHA P0		
	Further information: Skin notation					
		STEL	250 ppm 325 mg/m3	OSHA P0		
	Further information: Skin notation					
50-00-0	Formalde- hyde	C	0.3 ppm	ACGIH		
	Further information: Eye & Upper Respiratory Tract irritation, Suspected human carcinogen, Sensitizer					
	,5	TWA	0.016 ppm	NIOSH REL		
	Further information: Potential Occupational Carcinogen, See Appendix A					
		С	0.1 ppm	NIOSH REL		
- BELL	Further information: Potential Occupational Carcinogen, See Appendix A, 15 minute ceiling value					
OF 2 (1)		TWA	0.016 ppm (Formaldehyde)	NIOSH REL		
OFFRICE	Further information: Potential Occupational Carcinogen, Formalin is an aqueous solution that is 37% formaldehyde by weight; inhibited solutions usually contain 6-12% methyl alcohol. Also see specific listings for Formaldehyde and Methyl alcohol., See Appendix A					
M		С	0.1 ppm (Formaldehyde)	NIOSH REL		
	Further information: Potential Occupational Carcinogen, Formalin is an aqueous solution that is 37% formaldehyde by weight; inhibited solutions usually contain 6-12% methyl alcohol. Also see specific listings for Formaldehyde and Methyl alcohol., See Appendix A, 15 minute ceiling value					

Engineering measures

: Local ventilation recommended - mechanical ventilation may

be used.

OPTIFIX FRN300 LIQ HC (#DDF)

Version 2.3

Revision Date: 11/18/2019

SDS Number: CLT207131-V2 Date of last issue: 02/05/2016 Date of first issue: 09/12/2013

Personal protective equipment

HING BLANKS SINCE 1969 Respiratory protection : NIOSH approved respirator - chemical cartridge respirator

with appropriate cartridge, if required.

Hand protection

Remarks Butyl Rubber, PVC Or Neoprene.

Tightly fitting safety goggles Eye protection

Skin and body protection : Wear suitable protective equipment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : amber

: like acetic acid, weakly Odour

Odour Threshold : not determined

рΗ 2.5 - 4.5

: not determined Freezing point

approx. 212 °F Boiling point

Flash point > 200 °F

Method: TCC

Evaporation rate not determined

Flammability (solid, gas) : Not applicable

Upper explosion limit : not tested.

Lower explosion limit not tested.

Vapour pressure : not determined

Relative vapour density : not determined

Density : not determined

Solubility(ies)

: completely soluble Water solubility

Partition coefficient: n-

octanol/water

not determined

Auto-ignition temperature : not tested.

OPTIFIX FRN300 LIQ HC (#DDF)

Version 2.3

Revision Date: 11/18/2019

SDS Number: CLT207131-V2 Date of last issue: 02/05/2016 Date of first issue: 09/12/2013

.ACE 1969

Decomposition temperature

: No data available

Viscosity

Viscosity, dynamic

: not determined

Viscosity, kinematic

: not determined

Impact sensitivity

: not determined

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability

Possibility of hazardous reac-

tions

: Stable

: No dangerous reaction known under conditions of normal use.

Stable

Conditions to avoid

: Oxidizer Alkalis

Incompatible materials

: Oxidizing agents

Alkalis

Hazardous decomposition

products

When handled and stored appropriately, no dangerous de-

composition products are known

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Skin contact Ingestion Inhalation

Skin Absorption

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): Remarks: not tested.

Acute toxicity estimate: 4,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

OPTIFIX FRN300 LIQ HC (#DDF)

Version 2.3

Revision Date: 11/18/2019

SDS Number: CLT207131-V2 Date of last issue: 02/05/2016 Date of first issue: 09/12/2013

Components:

67-56-1:

: LD0 (Humans): 428 mg/kg Acute oral toxicity

50-00-0:

Acute oral toxicity : LD50 (Rat): 800 mg/kg

Carcinogenicity

IARC Listed **OSHA** Listed

NTP Listed

Experience with human exposure

Product:

IG BLANKS SINCE 1969 : The possible symptoms known are those derived from the **General Information**

labelling (see section 2).

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

67-56-1:

LC50 (Oncorhynchus mykiss (rainbow trout)): 19,000 mg/l Toxicity to fish

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

LC50: > 10,000 mg/lExposure time: 24 h

Toxicity to bacteria IC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Persistence and degradability

Components:

67-56-1:

Biodegradability : Exposure time: 28 d

Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

67-56-1:

Bioaccumulation : Remarks: Due to the low logPow bioaccumulation is not ex-

pected

: log Pow: -0.77 Partition coefficient: n-

OPTIFIX FRN300 LIQ HC (#DDF)

Version 2.3

Revision Date: 11/18/2019

SDS Number: CLT207131-V2

Date of last issue: 02/05/2016 Date of first issue: 09/12/2013

Ching BLANKS SINCE 1969

octanol/water

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conserva-

tion and Recovery Authoriza-

tion Act

Waste Code

: No -- Not as sold.

: None

Waste from residues : Small quantities may be treated in aerobic wastewater treat-

ment systems. Larger quantities may be incinerated or land-

filled after solidification in permitted systems.

SECTION 14. TRANSPORT INFORMATION

DOT not restricted
IATA not restricted
IMDG not restricted

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

ComponentsCAS-No.Component RQ (lbs)Calculated product RQ (lbs)Formaldehyde50-00-010020000

SARA 311/312 Hazards : Acute Health Hazard

Chronic Health Hazard

SARA 302 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 302:

50-00-0 Formaldehyde 0.5 %

OPTIFIX FRN300 LIQ HC (#DDF)

Version Revision Date: SDS Number: Date of last issue: 02/05/2016 2.3 11/18/2019 CLT207131-V2 Date of first issue: 09/12/2013

SARA 313 : This product contains toxic chemical(s) subject to the report-

ing requirements of Section 313 of the Emergency Planning and Community Right- To-Know Act of 1986 and 40 CFR 372. Any such toxic chemical(s) are shown below. This information must be included in all MSDS's that are copied and distributed

for this material.

Methanol 67-56-1 2 %

Formaldehyde 50-00-0 0.5 %

Clean Water Act

Contains no known priority pollutants at concentrations greater than 0.1%.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

Volatile organic compounds VOC:

Content VOC (weight-%): 2 %

Remarks: estimated

SECTION 16. OTHER INFORMATION

Further information

This product has not been evaluated for FDA regulatory requirements.

Revision Date : 01/11/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN