

# Safety Data Sheet

Issue Date: 23-Nov-2015

Revision Date: 05-May-2022

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Angelus No.802 Spot Remover

### Other means of identification

**SDS #** ASP-008

**UN/ID No** UN1263

### Recommended use of the chemical and restrictions on use

**Recommended Use** Shoe cleaner.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Dharma Trading Company  
1805 South McDowell Blvd. Ext.  
Petaluma, CA 94954 USA  
(800) 542-5227

#### **Emergency Telephone Number**

**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear liquid

**Physical state** Liquid

**Odor** Hydrocarbon

### Classification

Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive toxicity	Category 1B
Aspiration toxicity	Category 1
Flammable Liquids	Category 2

### Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin  
Causes mild skin irritation

### Signal Word

**Danger**

### Hazard statements

May cause an allergic skin reaction  
May cause genetic defects  
May cause cancer  
May damage fertility or the unborn child  
May be fatal if swallowed and enters airways  
Highly flammable liquid and vapor

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Contaminated work clothing must not be allowed out of the workplace  
 Wear protective gloves  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Keep container tightly closed  
 Ground/bond container and receiving equipment  
 Use explosion-proof equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge

**Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 If skin irritation or rash occurs: Get medical advice/attention  
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
 Do not induce vomiting  
 IN CASE OF FIRE: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other hazards**

Toxic to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
VM&P Naphtha	8030-30-6	>70
1-chloro-4(trifluoromethyl) benzene	98-56-6	<8
d-Limonene	5989-27-5	<8
N-methyl-2-pyrrolidone	872-50-4	<2

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

### First Aid Measures

<b>General Advice</b>	Provide this SDS to medical personnel for treatment.
<b>Eye Contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs.
<b>Skin Contact</b>	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
<b>Inhalation</b>	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist. If breathing has stopped, give artificial respiration.
<b>Ingestion</b>	IF SWALLOWED: call a poison control center or physician immediately. Do not induce vomiting without medical advice. If vomiting occurs spontaneously, keep head below hips to prevent aspirating vomitus into lungs. If drowsy or unconscious, do not give anything by mouth; place individual on the left side with head down.

### Most important symptoms and effects

<b>Symptoms</b>	Contact with eyes may cause stinging, tearing, redness, or swelling. Contact with skin may result in redness and burning. If inhaled, symptoms may include, irritation of the nose, throat, and respiratory tract. Swallowing may result in gastrointestinal irritation (Nausea, Vomiting, and Diarrhea) and central nervous system depression (Dizziness, Drowsiness, Weakness, Fatigue, Nausea, Headache, Unconsciousness), temporary changes in mood / behavior, muscle weakness, loss of coordination, confusion, irregular heartbeat, elevated carbon monoxide levels in the blood, anesthesia, liver damage, and death. The product contains a small amount of sensitizing substance which may provoke an allergic reaction among sensitive individuals in contact with skin.
-----------------	---

### Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Medical conditions aggravated by exposure: Pre-existing eye, skin or respiratory tract, or impaired liver and/or kidney function conditions, as well as asthma and blood or cardiovascular disease. Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. May cause sensitization of susceptible persons.
---------------------------	---

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Regular foam, water fog, CO<sub>2</sub>, dry chemical.

**Unsuitable Extinguishing Media** Not determined.

### Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor. Vapors are heavier than air and may travel along ground to ignition sources and flash back. This product contains halogenated solvents which inhibit flashing until the halogenated solvent has been evaporated away. The product may become combustible or flammable after this occurs. No flash to boiling point.

**Hazardous Combustion Products** Carbon monoxide; Carbon dioxide (CO<sub>2</sub>), Chlorine, Hydrogen chloride, Phosgene, Various hydrocarbons.

### Explosion Data

**Sensitivity to Static Discharge** Prevent electrostatic charge build-up by using common bonding and ground techniques.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Never use welding or cutting torch on or near containers that are full or empty because product (even slight residue) can ignite explosively. Use water spray to cool fire-exposed containers.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

**Environmental precautions**

**Environmental precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for Containment** Persons not wearing protective equipment should leave area until cleanup is completed. Eliminate all ignition sources. Ventilate area of leak or spill. Soak up and contain spill with an inert (i.e. vermiculite, dry sand or earth) absorbent material.

**Methods for Clean-Up** Use non-sparking hand tools and explosion-proof electrical equipment. Sweep up absorbed material and shovel into suitable containers for disposal. Clean up large spills with a vacuum truck.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on Safe Handling** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place. Store locked up. Do not store above 49°C/120°F.

**Packaging Materials** Empty containers retain product residue and can be hazardous.

**Incompatible Materials** Do not store, pump or allow contact with any item made from aluminum. Contact with aluminum parts in a pressurized fluid system may cause violent reactions. Strong oxidizing agents. Peroxides. Polymerization catalysts.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
VM&P Naphtha 8030-30-6	-	TWA: 100 ppm TWA: 400 mg/m <sup>3</sup> TWA: 500 ppm TWA: 2000 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 400 mg/m <sup>3</sup>	IDLH: 1000 ppm TWA: 100 ppm TWA: 400 mg/m <sup>3</sup>
1-chloro-4(trifluoromethyl) benzene 98-56-6	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup> F TWA: 2.5 mg/m <sup>3</sup> dust (vacated) TWA: 2.5 mg/m <sup>3</sup>	-

**Appropriate engineering controls**

**Engineering Controls**

Apply technical measures to comply with the occupational exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Provide sufficient ventilation to maintain exposure below TLV(s). Any use of this product at an elevated temperature process should be thoroughly evaluated to establish and maintain safe operating conditions.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection**

Chemical splash-proof goggles. Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection**

Impervious gloves, clothes and boots. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection**

If TLV is exceeded, use a NIOSH/MSHA approved respirator for organic vapors. Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Hydrocarbon
<b>Appearance</b>	Clear liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Clear, Colorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	118-150 °C / 245-302 °F	
Flash Point	14-18 °C / 57-64 °F	
Evaporation Rate	Slower than ethyl ether	
Flammability (Solid, Gas)	Not determined	
Flammability Limits in Air		
Upper Flammability Limits	1.8%	
Lower Flammability Limit	38.5%	
Vapor Pressure	1.5-2 kPa	@ 20°C (68°F)
Vapor Density	>1.00	(Air=1)
Relative Density	0.8	@ 25 °C (77 °F)
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	320°C/608°F	

<b>Decomposition Temperature</b>	Not determined
<b>Kinematic Viscosity</b>	Not determined
<b>Dynamic Viscosity</b>	Not determined
<b>Explosive Properties</b>	Not determined
<b>Oxidizing Properties</b>	Not determined

**Other Information**

<b>VOC Content</b>	992.9 g/L
<b>Density</b>	6.7 lbs/gal @ 25°C (77.0°F)

## 10. STABILITY AND REACTIVITY

**Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization**      Hazardous polymerization does not occur.

**Conditions to Avoid**

Excessive heat.

**Incompatible Materials**

Do not store, pump or allow contact with any item made from aluminum. Contact with aluminum parts in a pressurized fluid system may cause violent reactions. Strong oxidizing agents. Peroxides. Polymerization catalysts.

**Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure****Product Information**

<b>Eye Contact</b>	Can cause eye irritation.
<b>Skin Contact</b>	May cause an allergic skin reaction. May be harmful in contact with skin. Causes mild skin irritation.
<b>Inhalation</b>	May cause irritation to the mucous membranes and upper respiratory tract.
<b>Ingestion</b>	May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

**Component Information**

Chemical Name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
VM&P Naphtha 8030-30-6	> 5 g/kg ( Rat )	> 3 g/kg ( Rabbit )	-
1-chloro-4(trifluoromethyl) benzene 98-56-6	= 13 g/kg ( Rat )	> 2 mL/kg ( Rabbit )	= 33 mg/L ( Rat ) 4 h
d-Limonene 5989-27-5	= 4400 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	-
N-methyl-2-pyrrolidone 872-50-4	= 3914 mg/kg ( Rat )	= 8 g/kg ( Rabbit )	= 3.1 mg/L ( Rat ) 4 h

**Information on physical, chemical and toxicological effects**

**Symptoms** Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** May cause genetic defects.

**Carcinogenicity** May cause cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
d-Limonene 5989-27-5		Group 3		X

**Legend**

**IARC (International Agency for Research on Cancer)**

Group 3 IARC components are "not classifiable as human carcinogens"

**Reproductive toxicity** May damage fertility or the unborn child.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 5,187.00 mg/kg

**ATEmix (dermal)** 2,965.00 mg/kg

**ATEmix (inhalation-dust/mist)** 155.00 mg/L

**ATEmix (inhalation-vapor)** 113.00 mg/L

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Toxic to aquatic life with long lasting effects.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
VM&P Naphtha 8030-30-6	4700: 72 h Pseudokirchneriella subcapitata mg/L EC50	9.2: 96 h Lepomis macrochirus mg/L LC50 static	
1-chloro-4(trifluoromethyl) benzene 98-56-6		11.5 - 15.8: 48 h Lepomis macrochirus mg/L LC50 static	3.68: 48 h Daphnia magna mg/L EC50
d-Limonene 5989-27-5		0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	
N-methyl-2-pyrrolidone 872-50-4	500: 72 h Desmodesmus subspicatus mg/L EC50	832: 96 h Lepomis macrochirus mg/L LC50 static 4000: 96 h Leuciscus idus mg/L LC50 static 1400: 96 h Poecilia reticulata mg/L LC50 static 1072: 96 h Pimephales promelas mg/L LC50 static	4897: 48 h Daphnia magna mg/L EC50

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
1-chloro-4(trifluoromethyl) benzene 98-56-6	3.7
N-methyl-2-pyrrolidone 872-50-4	-0.46

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

- Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.
- Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical Name	California Hazardous Waste Status
VM&P Naphtha 8030-30-6	Toxic of petroleum or coal tar origin Ignitable of petroleum or coal tar origin
d-Limonene 5989-27-5	Toxic

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

- UN/ID No** UN1263
- Proper Shipping Name** Paint related material
- Hazard Class** 3
- Packing Group** II

**IATA**

- UN/ID No** UN1263
- Proper Shipping Name** Paint related material
- Hazard Class** 3
- Packing Group** II

**IMDG**

- UN/ID No** UN1263
- Proper Shipping Name** Paint related material
- Hazard Class** 3
- Packing Group** II
- Marine Pollutant** This material may meet the definition of a marine pollutant



**15. REGULATORY INFORMATION**

**International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
VM&P Naphtha	X	X	X		X	Present	X	X
1-chloro-4(trifluoromethyl) benzene	X	X	X	Present	X	Present	X	X
d-Limonene	X	X	X	Present	X	Present	X	X
N-methyl-2-pyrrolidone	X	X	X	Present	X	Present	X	X

**Legend:**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations**

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
N-methyl-2-pyrrolidone - 872-50-4	872-50-4	2	1.0

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
N-methyl-2-pyrrolidone - 872-50-4	Developmental

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
VM&P Naphtha 8030-30-6	X	X	X
1-chloro-4(trifluoromethyl) benzene 98-56-6	X		
N-methyl-2-pyrrolidone 872-50-4	X	X	X

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	2	2	0	Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical hazards</b>	<b>Personal Protection</b>
	2	2	0	Not determined

Issue Date: 23-Nov-2015  
 Revision Date: 05-May-2022  
 Revision Note: New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**

