

# SAFETY DATA SHEET

## 1. Product identification

TRADE NAME (AS LABELED): **SOSOFT FABRIC GLITTER**  
PART NUMBER: DSSFG01 - DSSFG18  
SKU#:  
UPC#:  
PRODUCT USE: Acrylic Paint  
CHEMICAL NAME: Mixture  
CHEMICAL FAMILY: Acrylic Paint  
  
MANUFACTURER EMERGENCY PHONE: (800) 424-9300 CHEMTREC  
MANUFACTURER BUSINESS PHONE: (606) 365-3193  
MANUFACTURER FAX NUMBER: DATE (606) 365-9739 November  
OF PREPARATION: 2, 2021

## 2. Hazard identification

**EMERGENCY OVERVIEW: Product Description:** This product is a liquid with a mild odor. **Health Hazards:** This material is not expected to cause adverse health effects in normal applications and use. **Flammability Hazards:** This product is a non flammable liquid. **Reactivity Hazards:** Non reactive. **Environmental Hazards:** The environmental effects of this product are not known. This product is not expected to cause adverse environmental effects. **Emergency Considerations:** Emergency responders must wear the proper personal protective equipment (and have appropriate fire-suppression equipment) suitable for the situation to which they are responding.

### EU LABELING AND CLASSIFICATION:

Classification of the substance or mixture according to Regulation (EC) No1272/2008

### Components Contributing to Hazard:

#### Signal Word:

#### Hazard Statement(s):

EUH208: Contains benzisothiazolinone. May produce an allergic reaction.

### HEALTH HAZARDS OR RISKS FROM EXPOSURE:

**PRIMARY ROUTES(S) OF ENTRY:** Eye Contact, Ingestion, and Skin Contact

#### ACUTE:

**EYE HAZARDS:** This product may cause eye irritation if it enters the eyes.

**SKIN HAZARDS:** Not expected to cause irritation with normal handling.

**INGESTION HAZARDS:** Not expected to be a normal route of entry

**INHALATION HAZARDS:** No hazards expected.

**CONDITIONS AGGRAVATED BY EXPOSURE:** None expected. Maintain housekeeping and personal hygiene to minimize exposure.

**CONDITIONS AGGRAVATED BY OVEREXPOSURE:** None expected

#### CHRONIC:

None Known

**WARNING:** This product contains isothiazolinone compounds at levels of <50ppm. These substances are biocides commonly found in paints and a variety of personal care products as a preservative. Certain individuals may be sensitive or allergic to these substances, even at low levels.

#### NOTE:

ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This

# SAFETY DATA SHEET

product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250: 2000.

## 3. Composition and information on ingredients

Hazardous Ingredients	CAS #	EINECS #	ICSC #	WT #	Hazard Symbol Risk Phrases
Acrylate Polymer Solution	28205-96-1	Not Listed	Not Listed	<=50%	HAZARD CLASSIFICATION: NONE RISK PHRASES: NONE
Water	7732-18-5	231-791-2	Not Listed	<=32%	HAZARD CLASSIFICATION: NONE RISK PHRASES: NONE
Polyester Film	25038-59-9	Not Listed	Not Listed	<=10%	HAZARD CLASSIFICATION: NONE RISK PHRASES: NONE
Propylene Glycol	57-55-6	200-338-0	0321	<=7%	HAZARD CLASSIFICATION: NONE RISK PHRASES: NONE
Glycol Ether	29911-28-2	249-951-5	Not Listed	<=2.5%	None
Coalescing Agent				<=1.5%	

## 4. First-aid measures

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and SDS to health professional with contaminated individual.

**SKIN EXPOSURE:** Wash with soap and water. If discomfort occurs or persists, contact a physician immediately.

**EYE EXPOSURE:** Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention if irritation persists.

**INHALATION:** If breathing becomes difficult remove contaminated individual to fresh air. If victim is not breathing provide artificial respiration. Seek medical attention immediately.

**INGESTION:** If this product is swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or unable to swallow.

**RECOMMENDATIONS TO PHYSICIANS:** Treat symptoms and eliminate overexposure.

## 5. Fire-fighting measures

**FLASH POINT:** Non-Flammable

**AUTOIGNITION TEMPERATURE:** Not Applicable

**FLAMMABLE LIMITS (in air by volume, %):** Lower NA; Upper NA

**FIRE EXTINGUISHING MATERIALS:** Use agent most appropriate to extinguishing surrounding fire.


**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None Known

Explosion Sensitivity to Mechanical Impact: Not Sensitive

Explosion Sensitivity to Static Discharge: Not Sensitive

**SPECIAL FIRE-FIGHTING PROCEDURES:** Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff

### NFPA RATING



Hazard Scale: **0** = Minimal **1** = Slight  
**2** = Moderate

# SAFETY DATA SHEET

water from entering storm drains, bodies of water, or other environmentally sensitive areas.

3 = Serious 4 = Severe

## 6. Accidental release measures

### **SPILL AND LEAK RESPONSE:**

Absorb spill with inert material (e.g. vermiculite, sand, or earth), then place in suitable container for disposal. Clean up spills immediately, observing precautions. US Regulations (CERCLA) require reporting spills and releases to soil, water, and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

**DISPOSAL:** Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

## 7. Handling and storage

**WORK PRACTICES AND HYGIENE PRACTICES:** Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product.

**STORAGE AND HANDLING PRACTICES:** Avoid contact with eyes. Store in a tightly sealed container. Store in a cool, dry, well ventilated area. Protect from physical damage.

## 8. Exposure controls - personal protection

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation, and process enclosure if necessary, to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

### **EXPOSURE LIMITS/GUIDELINES**

Component Name:	CAS #	ACGIH TLVs	OSHA-PELs	NIOSH-TLVs	Other
Acrylate Polymer Solution	28205-96-1	Not Listed	Not Listed	Not Listed	Not Listed
Water	7732-18-5	Not Listed	Not Listed	Not Listed	Not Listed
Polyester Film	25038-59-9	Not Listed	Not Listed	Not Listed	Not Listed
Propylene Glycol	57-55-6	Not Listed	Not Listed	Not Listed	Not Listed
Glycol Ether	29911-28-2	Not Listed	Not Listed	Noth Listed	Not Listed
Coalescing Agent					

International exposure limits may be established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

**RESPIRATORY PROTECTION:** Not required with normal use. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Not normally required however, safety glasses are recommended as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166,

# SAFETY DATA SHEET

Australian Standards, or relevant Japanese Standards.

**HAND PROTECTION:** Not required under normal use. If desired, wear rubber gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

**BODY PROTECTION:** Not required under normal use. Wear appropriate clothing sufficient to prevent skin contact. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

## 9. Physical and chemical properties

**VAPOR DENSITY:** Not Available

**SPECIFIC GRAVITY @ 20°C:** Not Available

**VAPOR PRESSURE:** Not Available

**FREEZING POINT:** Not Available

**ODOR THRESHOLD:** Mild

**APPEARANCE, ODOR and COLOR:** This product is a liquid with a mild odor.

**EVAPORATION RATE (n-BuAc=1):** Not Available

**SOLUBILITY IN WATER:** Not Available

**pH:** Not Available

**BOILING POINT:** Not Available

## 10. Stability and reactivity

**STABILITY:** Stable

**DECOMPOSITION PRODUCTS:** Carbon Monoxide and Carbon Dioxide

**MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:** None Known

**HAZARDOUS POLYMERIZATION:** Will Not Occur.

**CONDITIONS TO AVOID:** None Known

## 11. Toxicological information

### **TOXICITY DATA:**

**Routes of Entry:** Eye contact, Ingestion, Skin Contact

No LD50/LC50 information found relating to normal routes of occupational exposures.

**SUSPECTED CANCER AGENT:** None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies.

**IRRITANCY OF PRODUCT:** This product may cause eye irritation.

**SENSITIZATION TO THE PRODUCT:** WARNING: This product contains isothiazolinone compounds at levels of <50ppm. These substances are biocides commonly found in paints and a variety of personal care products as a preservative. Certain individuals may be sensitive or allergic to these substances, even at low levels.

**REPRODUCTIVE TOXICITY INFORMATION:** Listed below is information concerning the effects of this product and its components on the human reproductive system.

**Mutagenicity:** The components of this product are not reported to produce mutagenic effects in humans.

**Embryotoxicity:** The components of this product are not reported to produce embryotoxic effects in humans.

**Teratogenicity:** The components of this product are not reported to produce teratogenicity effects in humans.

**Reproductive Toxicity:** The components of this product are not reported to produce reproductive effects in humans.

## 12. Ecological information

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

**ECOTOXICITY:** Not available.

**BOD5 and COD:** Not available.

**PRODUCTS OF BIODEGRADATION:** Not available

**TOXICITY OF THE PRODUCTS OF BIODEGRADATION:** Not available

**ENVIRONMENTAL STABILITY:** Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways

**BIOACCUMULATION/ACCUMULATION:** These products have not been tested for bio-accumulation potential.

## 13. Disposal considerations

# SAFETY DATA SHEET

**PREPARING WASTES FOR DISPOSAL** Waste disposal must be in accordance with appropriate U.S. Federal, State and local regulations, those of Canada, Australia, EU Member States and Japan.

## 14. Transportation information

### **US DOT, IATA, IMO, ADR:**

#### **Domestic (Land, D.O.T.)**

Proper Shipping Name: Non-Regulated Material

Hazard Class: Non Hazardous - Non Regulated

#### **International (Water, I.M.O.)**

Proper Shipping Name: Non-Regulated Material

Hazard Class: Non Hazardous - Non Regulated

#### **International (Air, I.C.A.O.)**

Proper Shipping Name: Non-regulated Material

Hazard Class: Non Hazardous - Non Regulated

**U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:** This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101. Non-Regulated

**TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:** These products are not classified as Dangerous Goods, per regulations of Transport Canada.

**INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):** These products are not classified as Dangerous Goods, by rules of IATA

**INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:** These products are not classified as Dangerous Goods by the International Maritime Organization.

**EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):** These products are not classified by the United Nations Economic Commission for Europe to be dangerous goods

## 15. Regulatory information

### **UNITED STATES REGULATIONS:**

**U.S. SARA REPORTING REQUIREMENTS:** The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for any component

of these products. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) therefore applies, per 40 CFR 370.20.

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None

**U.S. TSCA INVENTORY STATUS:** The components of this product are listed in the TSCA Inventory.

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):** This product does not contain any component above the 0.1% level which is listed as a California Proposition 65 chemical.

### **CANADIAN REGULATIONS:**

**CANADIAN DSL/NDL INVENTORY STATUS:** The components of this product are not on the DSL Inventory.

**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:** No component of this product is on the CEPA First Priorities Substance Lists.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** Not Classified

### **EUROPEAN ECONOMIC COMMUNITY INFORMATION:**

**Classification of the substance or mixture according to Regulation (EC) No1272/2008**

### **AUSTRALIAN INFORMATION FOR PRODUCT:**

**AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS:** The components of this product are listed

# SAFETY DATA SHEET

on the AICS or are exempt.

**STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS:**Not applicable.

**JAPANESE INFORMATION FOR PRODUCT:**

**JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS:**The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

**INTERNATIONAL CHEMICAL INVENTORIES:**

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed or exempt

Australian Inventory of Chemical Substances (AICS): Listed or exempt

Korean Existing Chemicals List (ECL): Listed or exempt

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed or exempt

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed or exempt

Swiss Giftlist List of Toxic Substances: Listed or exempt

U.S. TSCA: Listed or exempt

## 16. Other information

**DATE OF PREPARATION:** November 2, 2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

