

Deco Foil Transfer Sheets
Safety Data Sheet
29 CFR 1910.1200

Section 1: Company and Product Identification

OSHA Hazard Communication Standard (29 CFR 1910.1200) requirements for Safety Data Sheets do not apply to the product described in this information sheet. This product is excluded as an article.

Product Name: Deco Foil Transfer Sheets

Product Code: Series 5000, Series 18000
Dharma Trading
Company

Company: 1805 South McDowell
Blvd. Ext.
Petaluma, CA 94954 USA

Emergency Response: (800) 542-5227
1-800-222-1222

Section 2: Hazards Identification

Hazard Pictograms:

Signal Word: Not Applicable

Hazard Category: This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Hazard Statements: Not Applicable

Precautionary Statements: Not Applicable

Hazards not otherwise classified: Not applicable, none known.

Section 3: Composition / Information on Ingredients

Ingredient Name	CAS#
Polyethylene Terephthalate Film	2308-59-9
Resin (Cellulose Acetate)	9004-35-7
Polyester	25038-59-9
Methyl methacrylate	80-62-6
Aluminum	7429-90-5

Section 4: First Aid Measures

If ingested:	The material is not known to cause any ingestion related toxicity. However, if a moderate to large amount is ingested, it may be worthwhile to contact a poison control center and/or physician familiar with plastics to seek any specific recommendation concerning appropriate care.
If inhaled:	An atypical route of entry for this product. On occasion, metallic dust due to slitting may enter the atmosphere during handling and processing. If this occurs, people in the area are advised to wear masks and/or the area should be ventilated. Additionally, if person is exposed to smoke from combustion of this material, remove person to fresh air and have person examined by medical professionals. If person is not breathing, conduct rescue breathing and call 911.
Eye contact:	Irrigate with eyewash solution or clean water.
Skin contact:	Not a likely route of entry for this product. Conduct routine first aid for expected cuts/abrasions, if present.

Section 5: Fire Fighting Measures

Extinguishing Method / Equipment:	Normal fire extinguishing media such as water, carbon dioxide (CO ₂), dry chemical, and alcohol foam are recommended.
Recommended Special Fire Fighting Techniques:	None. Use standard procedures for dealing with plastics-based fires.
Special Exposure Hazards:	Do not breathe the smoke from the fire.
Special Protection Equipment:	Use appropriate fire fighting protective gear including self-contained breathing apparatus.
Unusual Fire and Explosion Hazards:	The smoke coming from the combustion of this material is of unknown composition. The smoke may contain oxides of aluminum, carbon monoxide (CO) and carbon dioxide (CO ₂) along with other hazardous materials in unknown quantities. Risk during a fire is unknown.

Section 6: Accidental Release Measures

Containment and Cleanup Procedures:	Sweeping or other manual handling should be used to clean up spilled film material. No specific personal protective equipment is recommended for handling other than equipment required by the facility safety program for handling non-hazardous waste materials. However, if there is a noticeable amount of metallic dust present, the wearing of masks is recommended.
--------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 7: Handling and Storage

Safe Handling Precautions:	Avoid handling near open flame. Standard industry precautions are recommended.
Storage Precautions:	Keep away from open flames.

Section 8: Exposure Control / Personal Protection

Exposure Limits:	None established
Engineering Controls:	Not applicable
Person Protection Equipment:	None required in ordinary use.

Section 9: Physical and Chemical Properties

State:	Solid	Appearance:	Polyester film with colored resin, aluminum coating, and adhesive on one side.		
Color:	Varies	Odor:	Odorless		
Water Solubility:	Insoluble	Specific Gravity (H2O)	1.40~1.43		
Melting Point	255~260	Flash Point:	None		
Upper Flam Limits:	N/A	Lower Flam Limits:	N/A	Vapor Pressure:	Effectively none for typical applications
VOC Content (lbs/gal):	N/A	Viscosity:	N/A	Autoignition Temp:	N/A

Section 10: Stability and Reactivity

Stability:	Stable
Conditions to Avoid:	Avoid extremes in high temperature unless in controlled manufacturing operations.
Incompatible materials:	The material is incompatible with very strong acids, bases, and other chemically reactive materials such as oxidizers.
Decomposition products:	None specifically known. The material is very stable in typical environments. Under conditions of combustion, smoke is of unknown composition. It is likely to contain quantities of oxides of aluminum, carbon monoxide (CO), carbon dioxide (CO ₂) and other products of combustion at unknown quantities.

Section 11: Toxicological Information

Not applicable

Section 12: Ecological Information

Not applicable

Section 13: Disposal Information

Product disposal:	Material is considered to be non-hazardous. Check with local, state and federal agencies to determine if laws and regulations are present that would change or modify this determination. Material may be disposed of by land filling in a sanitary landfill.
--------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 14: Transport Information

DOT: Not Regulated

IMO/IMDG: Not Regulated

ICAO/IATA: Not Regulated

IMDG: Not Regulated

Section 15: Regulatory Information

This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA: All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

SARA 311/312:

Immediate (Acute) Health Hazard	Delayed (Chronic) Health Hazard	Fire Hazard	Reactive Hazard	Sudden Release of Pressure Hazard
No	No	No	No	No

SARA 313 Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 372. EPS has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations.

Chemical Name	CAS #	Weight %

California Prop 65 Substances: Unless listed below, this product does not contain known levels of any chemical known to the State of California to cause cancer or reproductive harm.

Chemical Name	CAS #	Weight %

Canadian DSL: All substances in product are listed on the DSL or are exempt from DSL requirements

WHMIS: Unless listed below, this product is not controlled under the Canadian Workplace Hazardous Materials Information System.

Section 16: Other Information

Version Date: US-SDS 9/1/2022

Dharma Trading Co. believes that the information provided is accurate and reliable as of the date of this material safety data sheet and is given in good faith. No warranty expressed or implied is made as to the accuracy, reliability or completeness of the information. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State and local laws and regulations. Dharma Trading Co. urges persons receiving this information to make their own determination as to the information's suitability and applicability for an intended use.

Note: This information must be included in all SDS's that are copied and distributed for this material.