Revision Date: 08/26/2019

SECTION I - CHEMICAL, PRODUCT & COMPANY INFORMATION

| Product Name: | SYNTHETIC GALL | 100 |
|----------------------|-------------------------------|----------------------------------|
| Product Number/Code: | JMA1200 / JMA2200 / JM | A4200 |
| Recommended Use: | Textile auxilary | |
| Restrictions on use: | None known | |
| | | ANKS |
| Emergency Number: | ChemTel, Inc Contract | #MIS9128344 |
| | North America: I-800-255-3924 | International: I-813-248-0585 |

SECTION 2 - HAZARD(S) IDENTIFICATION

| Toxicological Data on Ingredients: | | |
|------------------------------------|--|-------------|
| Hazard Classification | | |
| Physical Hazards: | | |
| Health Hazards: | Skin Sensitizer | Category IB |
| | Eye Irritant | Category 2B |
| | Skin Irritant | Category 3 |
| , , | Oral Toxicity | Category 5 |
| Environmental Hazards: | | |
| Label Elements | | , |
| Pictogram: | <u>(!</u>) | |
| Signal Words: | Warning | |
| Hazard Statements-EU: | H315 Causes mild skin irritation. H320 Cuses eye irritation. H303 May be harmful if swallowed. | |

| Precautionary Statements-EU: | |
|-------------------------------------|---|
| Prevention: | P264 Wash face, hands, and any exposed skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/eye protection/face protection. P270 Do not eat, drink, or smoke when using this product. P260 Do not breath dust/fume/gas/mist/vapors/spray. |
| Response: | P305+P351+P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P302+P352 IF ON SKIN: Wash with plenty of soap and water for 15 minutes. P332+P313 If skin irritation occurs: Get medical advice/attention. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a comfortable position for breathing. |
| Storage: | P273: Avoid release to the environment. |
| Disposal: | P501: Dispose of contents/container in accordance with local/regional/international regulations. |
| Hazard(s) not otherwise classified: | |

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical identity | Content in percent (%)* | CAS# |
|--------------------------------|-------------------------|---|
| Proprietary textile mixture | 0.1-10% | The exact percentages and composition has |
| - Eye and skin irritant. | | been withheld as a trade secret. |
| - May be harmful if swallowed. | | |

SECTION 4 - FIRST AID MEASURES

| Description of first aid measures: | - |
|---|---|
| General information: | Immediately remove all contaminated clothing. |
| In the event of skin contact: | Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse. |
| In the event of eye contact: | Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling. |
| In the event of swallowing: | Induce vomiting by giving 2 glasses of water and place finger down throat. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions. |
| In the event of exposure by inhalation: | If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician. |
| Most important symptoms and effects, acute and delayed: | The most significant symptoms and effects are described in the labelling (see section 2) and/or in section 11. |
| Indication of any immediate medical attention and special treatment needed: | No data available |

SECTION 5 - FIREFIGHTING MEASURES

| Flash point: | 530°F |
|--|---|
| Extinguishing media: | CO2, Dry Chemical, Foam, Water, Fog |
| Special firefighting procedures/unusual fire or explosion hazards: | Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. |
| Additional information: | Avoid dusting conditions. May form explosive dust mixtures with air. |

SECTION 6 - ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures: | Do not touch or walk through the spilled material: stop leak if you can do it without risk. |
|--|--|
| Methods and material for containment and clean up: | Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. |
| Environmental procedures: | Do not empty into drains or waters. |
| Reference to other sections: | For further disposal measures see section 13. |

SECTION 7 - HANDLING AND STORAGE

| Precautions for safe handling: | In accord with good industrial practice. Handle with care and avoid personal contact. |
|--|--|
| Conditions for safe storage including any incompatibilities: | Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area. Keep the container tightly sealed and away from any incompatible materials (see Section 10). |

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

| Control parameters: | |
|--|--|
| Occupational exposure limits: | Avoid contact with eyes and skin. Immediately remove all contaminated clothing. |
| Appropriate engineering controls: | Handle with good industrial practices and industrial hygiene. Wash hands after use. |
| Individual protection measures, such as pers | onal protective equipment: |
| Eye/face protection: | Employees should wear protective eye-goggles with side protection shield. |
| Skin protection: | Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs. |
| Hand protection: | Gloves |
| Other protective equipment: | Wear overalls, apron or other protective clothing. |
| Environmental exposure controls: | Use local ventilation. |
| Respiratory protection: | Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator. |

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

| General information: | |
|--|-----------------|
| Appearance and physical state: | Liquid |
| Color: | Clear |
| Type of Odor: | Nearly odorless |
| Odor threshold: | N/D |
| Important health, safety and environmental in | formation: |
| Initial Boiling Point and Boiling Range: | N/D |
| Melting Point/Freezing Point: | N/D |
| Flammability Classification: | Non combustible |
| Flash Point: | 212°F/100°C |
| Auto-ignition Temperature: | N/D |
| Decomposition Temperature: | N/D |
| Flammability Limits (lower/upper): | N/A |
| Evaporation rate: | N/D |
| Vapor Pressure: | N/D |
| Vapor Density (Air=1): | N/D |
| Octanol/Water Partition Coefficient (log Pow): | N/D |
| Specific Gravity: | 1.04 |
| Bulk Density: | N/A |
| Water Solubility: | Dispersible |
| pH: | N/D |
| Viscosity: | N/D |
| Explosive Properties: | N/A |
| Oxidizing Properties: | N/A |
| Molecular Formula: | N/A |
| Molecular Weight: | N/A |
| Relative Density: | N/A |
| % Volatile: | N/D |

SECTION 10 - STABILITY AND REACTIVITY

| Reactivity: | Will not occur |
|-------------------------------------|---|
| Stability: | Stable |
| Possibility of hazardous reactions: | None expected |
| Conditions to avoid: | N/D |
| Incompatible materials: | Strong oxidizing agents |
| Hazardous decomposition products: | CO2, CO, Sulfur oxides, Nitrogen oxides |

SECTION 11 - TOXICOLOGICAL INFORMATION

| Information on toxicological effects: | |
|---|---|
| Acute toxicity (list all possible routes of exposur | re) |
| Acute Oral Toxicity: | LD50 (ingestion) - No data |
| Acute Dermal Toxicity: | No data |
| Skin Corrosion/irritation: | No data |
| Serious Eye Damage / Eye Irritation: | No data |
| Respiratory or Skin Sensitization: | Not expected |
| Carcinogen status (IARC/NTP/OSHA): | No |
| Signs and symptoms of overexposure: | Irritating to the eyes. Prolonged skin contact may cause irritation. Ingestion may cause nausea, vomiting, or diarrhea. Inhalation may cause irritation of the nose, throat, and upper respiratory tract. |
| Medical conditions aggravated: | Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product. |
| Primary routes of exposure: | 20 |
| Skin absorption: | No |
| Eye contact: | Yes |
| Ingestion: | Yes |
| Inhalation: | No |
| Skin contact:: | Yes |

SECTION 12 - ECOLOGICAL INFORMATION

| Biodegradability: | N/D | |
|--------------------|-----|--|
| Bacteria toxicity: | N/D | |
| COD: | N/D | |
| AOX: | N/D | |

SECTION 13 - DISPOSAL CONSIDERATIONS

| Waste treatment methods: | |
|--------------------------|--|
| Disposal: | If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant. |
| Container Disposal: | Soiled, empty containers are to be treated in the same way as the contents. |

SECTION 14 - TRANSPORT INFORMATION

| Proper Shipping Description: | Non-hazardous ink material |
|------------------------------|----------------------------|
| DOT Hazard Classification: | Not regulated |
| Frt. Class Package: | 55 |
| IATA: | Non-regulated |
| IMDG: | Non-regulated |

SECTION 15 - REGULATORY INFORMATION

| US Regulations: | | | |
|----------------------------|--|---|--|
| TSCA: | The components of this product are listed on the TSCA Inventory. | | |
| SARA 313: | This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372. | | |
| SARA 312: | Immediate (Acute) health hazard: | Yes | |
| | Delayed (chronic) health hazard: | No | |
| | Fire hazard: | No | |
| | Sudden release of pressure: | No | |
| | Reactivity: | No | |
| California Proposition 65: | | This product does NOT contain any components currently on the California List of Known Carcinogens and reproductive Toxins. | |

SECTION 16 - OTHER INFORMATION

| HMIS Hazard ID: | | .6 |
|---|---|----|
| Health: | 1 | |
| Flammability: | I | |
| Reactivity: | 0 | 0 |
| Hazard rating: 0 - Minimal; I - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect | | |

Disclaimer:

The information contained in this SDS is based on data from sources considered to be reliable but Dharma Trading Co does not guarantee the accuracy or completeness thereof. Dharma Trading Co urges each customer or recipient of this SDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this SDS.

Revision Date: 08/26/2019

| National Chemical Inventories: | | |
|---|--|--|
| All components of this product are list | ted on the following chemical substance inventories:TSCA (USA) | |
| DSL | (Canada) | |
| EINECS | (Europe) | |
| ENCS | (Japan) ECL | |
| 0 | (Korea) | |
| AICS | (Australia) NZIoC | |
| | (New Zealand) | |
| PICCS | (Philippines) | |
| IECSC | (China) | |

| Abbreviations: | Amouisen Conference of Covers |
|----------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| ADR | International carriage of Dangerous goods by Road |
| AICS | Australian Inventory of Chemical Substances |
| ATE | Acute Toxicity Estimate |
| BfR | Bundesinstitut für Risikobewertung recommendations for food contact materials |
| BCF | Bioconcentration Factor |
| BOD5 | 5-day Biochemical Oxygen Demand |
| CERCLA | Comprehensive Environmental Response, Compensation and Liability Act |
| CLP | Classification, Labeling and Packaging regulation |
| COD | Chemical Oxygen Demand DOT Department of Transportation DSL Domestic Substances List |
| EINECS | European Inventory of Existing Chemical Substances |
| ECL | Existing Chemicals List (Korea) |
| ENCS | Existing and New Chemical Substances Inventory (Japan) |
| EN 689 | Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy. |
| ERG | Emergency Response Guide |
| GHS | Globally Harmonized System |
| HMIS | Hazardous Materials Information System IARC International Agency for Research on Cancer IATA International Air Transport Association |
| ICAO | International Civil Aviation Organization IDLH Immediately Dangerous to Life and Health IMDG International Maritime Dangerous Goods |
| LD50 | Lethal Dose to 50% of test animal population |
| MAK | Maximale Arbeitsplatz Konzentration |
| NTP | National Toxicology Program |
| OEL | Occupational Exposure Limit |
| OSHA | Occupational Safety & Health Administration |
| PBT | Persistent, Bioaccumulative and Toxic vPvB Very Persistent and Very Bioaccumulative PEL Permissible exposure limit |
| PICCS | Philippine Inventory of Commercial Chemical Substances |
| PNEC | Predicted No Effect Concentration |
| REACH | Registration, Evaluation and Authorization of Chemical Substances |
| RID | International carriage of dangerous goods by Rail SARA Superfund Amendments and Reauthorization Act STEL Short Term Exposure Limit |
| SVHC | Substance of Very High Concern |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| TWA | Time Weighted Average |
| VOC | Volatile Organic Compound |
| WGK | Wassergefahrdungsklasse (Water Hazard Class) WHMIS |
| | Workplace Hazardous Material Identification System |